

## S11303

4CA11/LED/A/E12/21K/120V 4W CA11 LED; Satin Spun Amber; Candelabra base; 2100K;

## **Features**

- LED with a traditional incandescent look and feel

- LED with a traditional incandescent in
  Omni-directional light source
  Smooth dimming
  Replaces up to 40 watt lamps
  Long life 15,000 hours
  Damp Location
  UL listed for totally enclosed fixtures



S11303

Item Nur	mber	UPC	Voltage	Voltage Watts Incandescent Equivalent		alent	Power Factor		Lamp Shape	Ва	Base	
S1130	03 04	5923113	031 120	4	40W			0.90		CA11	Cand	elabra
ANSI Base	Lamp Code			Dimmable/Non- Finish Dimmable		MOL I		MOD In Inches	Initia Lume			
E12	2 4CA11/LED/A/E12/21K/120V			Dimm	able	Amber Spun	4"		1-3/8"	200	) 1	5000
Kelvin Temp	Color	CRI	Beam Spread Deg	Operating Temperature		Pac	k Pa	ackage T	Гуре	CEC Status		
2100	Ambei	80	300	,	-20C (-4F) to a maximum of +45C (+113F)		24/6	6	Box		Lawful for sale in California	
RoHS Compliant			Fixture Type	UL or ETL Listed		d	UL Classification				Warranty	
Yes		Enc	losed Rated Lam	р	Yes cULus - Da		s - Dan	Damp Location Rated			3 Year Limited	



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051