

## S11305

2CA11/LED/A/E12/21K/120V/CD 2W CA11 LED; Satin Spun Amber; Candelabra base; 2100K; 120V; Carded

## Features

- · LED with a traditional incandescent look and feel

- LED with a traditional incandes
  Omni-directional light source
  Smooth dimming
  Replaces up to 20 watt lamps
  Long life 15,000 hours
  Damp Location
  Ill light of for totally analyzed fit

- UL listed for totally enclosed fixtures



S11305

Item Numb	per UPC Voltage Watts Incandescent Equivalen		ent	Power Factor		_amp Shape		Base					
S11305	S11305 045923113055 12		)55 120		2	20W			0.90		CA11 (		Candelabra
ANSI Base		Lamp C	Code	C		able/Non- nmable	Finish		L In hes	MOD In Inches	Initia Lume		Average Rated Hours
E12 2CA11/LED/A/E12/21K/120V/CD				Din	nmable	Amber Spun	4" 1		1-3/8"	100	)	15000	
Kelvin Temp	Color	CRI	Beam Spread Deg	(	Opera	ating Tempera	ature	Pac	ck F	ackage Ty	/ре	CE	C Status
2100	Amber	80	300	-20	-20C (-4F) to a maximum of +45C (+113F)			24/	6	CD/1	1		l for sale in alifornia
RoHS Compliant Fixture Type		L	JL or	ETL Listed	UL Classifica		cation	ion		Varranty			
Yes		Encl	osed Rated Lar	mp	Yes cULus - Dar		amp Location Rated		ed	3 Year Limited			



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051