

S11306

4CA11/LED/SA/E12/27K/120V/CD 4W CA11 LED; Satin Spun Clear; Candelabra base; 2700K; 120V; Carded

Features

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Offini-directional light source
 Smooth dimming
 Replaces up to 40 watt lamps
 Long life 15,000 hours
 Damp Location

- UL listed for totally enclosed fixtures



S11306

Item Nur	mber	UPC	Voltage	Watts	Incandes	cent	Equivale	nt Fac		hape	Base
S1130	0459	923113062	120	4		40V	V	0.0	90 (CA11	Candelabra
ANSI Base		Lamp Code			mable/Nor immable	า-	Finish	MOL In Inches	MOD In Inches	Initial Lumen	Average s Rated Hours
E12	4CA11/LE	D/SA/E12/27K/	120V/CD	D	immable		Satin Spun	4"	1-3/8"	300	15000
Kelvin Temp	Color	Beam Spread Deg	Operatin	g Temp	erature	Pac	ck Packa	ige Type	CEC S	tatus	RoHS Compliant
2700	Warm White	300	-20C (-4F) to a maximum of +45C (+113F)		12/	6 C	CD/1		sale in rnia	Yes	
	Fixture Type	ι	JL or ETL Lis	sted		Į.	UL Classit	fication		,	Warranty
Enclosed Rated Lamp Yes				cULus - Damp Location Rated				3 Year Limited			



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051