

## S11307

4CA11/LED/A/E12/21K/120V/CD 4W CA11 LED; Satin Spun Amber; Candelabra base; 2100K; 120V; Carded

## Features

- · LED with a traditional incandescent look and feel

- Omni-directional light source
  Smooth dimming
  Replaces up to 40 watt lamps
  Long life 15,000 hours
  Damp Location

- UL listed for totally enclosed fixtures



S11307

	Item Nu	mber	UPC	Voltage	Watts Incandescent Equ				ent Fa	Factor S		Base	
	S113	07	045923113079	120	4	20W		C	.90	CA11 (		Candelabra	
	ANSI Base		Lamp Cod	е		nable/No		Finish	MOL In		Initial Lumer		Average Rated Hours
	E12	4CA1	1/LED/A/E12/21	1K/120V/CD	Dir	nmable		Amber Spun	4''	1-3/8"	300		15000
	Kelvin Temp	CRI	Beam Spread Deg	Operating Temperature			Pacl	k Packa	де Туре	CEC St	atus	RoHS Compliant	
	2100	80	300	-20C (-4F) to +45C	um of	24/6	S CI	D/1	Lawful for sale in California			Yes	
Ī		Fixture Type UL or ETL Li			isted	UL Classification				Warranty			
Enclosed Rated Lamp			Yes			cULus	s - Damp I	ocation	Rated	3	Yea	ar Limited	



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051