

S11405

5.8A19/LED/50K/120V/ECO/ND 5.8W; A19 LED; 5000K; Medium base; 220 deg. beam spread;120V

Features

- A-Shaped replacement lamp
 Direct replacements for 40 watt incandescent
 Approved for enclosed fixtures
 Damp location rated



S11405

Item Number		UPC	Voltage	e Wa	Watts		Operating Frequency		Incandescent Equivalent			r or	Lamp Shape	
S11405 04		04592311405	2 120	5.	8	50/60H	50/60Hz		40W				A19	
Base	ANSI Base		Lamp Cod	np Code			Dimmable/Non- Dimmable		Finish	MOL In Inches	MOD In Inches		Initial Lumens	
Medium	E26	5.8A19	5.8A19/LED/50K/120V/ECO/NE			Non-	Dimmab	le	White	4-11/32"	2-3/8"		450	
Average Rated Hours		Kelvin Temp	Color	Color CRI ^{Bea}		pread g	Operating		ting Temperature		Pack	Pa	ckage Type	
10000		5000	Natural Light	80	220	0	-25C (25C (-13F) to a maximum of +45C (+113F)			24/6	Box		
CEC Status		RoHS Con	RoHS Compliant		Fixture Type		UL or ETL Listed		UL Classification			Warranty		
Non-Compliant		Yes	Enclo	Enclosed Rated Lamp		Y	Yes		cULus - Damp Location Rated				3 Year Limited	



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



@2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051