

S11407

9.8A19/LED/30K/120V/ECO/ND 9.8W; A19 LED; 3000K; Medium base; 220 deg. beam spread;120V

Features

- A-Shaped replacement lamp
 Direct replacements for 60 watt incandescent
 Approved for enclosed fixtures
 Damp location rated



S11407

Item Number		UPC	V	oltage	Watts		erating equency	l	ncandeso Equivale		Powe Facto		Lamp Shape
S11407	04	045923114076		120	9.8)/60Hz	60W		0.54		A19	
Rase	NSI ase		Lamp	Code		[Dimmable/No Dimmable	n-	Finish	MOL In Inches	MOD Inche		Initial Lumens
Medium E	26	9.8A19/l	LED/30	K/120V/	ECO/ND		Non-Dimmab	ole White 4-11/32"			2-3/8"		800
Average Rat Hours	ed	Kelvin Temp	Colo	or C	RI Bea	am Sprea Deg	ad Ope	erating	j Temper	ature	Pack	Pa	ckage Type
10000		3000	Warr Whit	×	80	220	-25C (-25C (-13F) to a maximum of +45C (+113F)		24/6		Вох	
CEC Statu	S	RoHS Com	pliant	Fixt	ture Type)	UL or ETL Listed		UL Cla	ssification		V	Varranty
Non-Complia	ant	Yes		Enclose	d Rated	Lamp	Yes	cUL	ıs - Damı	p Location	Rated	3 Ye	ear Limited



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051