

## S11408

9.8A19/LED/40K/120V/ECO/ND 9.8W; A19 LED; 4000K; Medium base; 220 deg. beam spread;120V

## Features

- A-Shaped replacement lamp
  Direct replacements for 60 watt incandescent
  Approved for enclosed fixtures
  Damp location rated



S11408

Item Numb	oer	UPC	Volta	ge V	Vatts	Operating Frequency		lr	Incandescent Equivalent		Power Factor		Lamp Shape
S11408	C	45923114083	120		9.8	50/60Hz		60W		0.54		A19	
Base	ANSI Base	Lamp Code					Dimmable/Non- Fir Dimmable		Finish	MOL In Inches	MOD In Inches		Initial Lumens
Medium	E26	9.8A19/	A19/LED/40K/120V/ECO/ND				on-Dimmable White 4-11/3			4-11/32"	2-3/8"		800
Average Hou		Kelvin Temp	Color	CRI	Beam Sp Deg		Ope	erating	Tempera	ature	Pack	Pa	ckage Type
1000	00	4000	Cool White	80	220			13F) to a maximum of +45C (+113F)		24/6	Вох		
CEC St	tatus	RoHS Com	pliant	Fixture	е Туре		or ETL .isted	UL Classification			Warranty		
Non-Con	npliant	Yes	Enc	losed R	Rated Lamp	)	Yes	cULu	cULus - Damp Location Rate			3 Year Limited	



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051