

S21732

4.5W CFF/LED/27K/FR/120V/2CD 4.5W CA10 LED; Frosted; Candelabra base; 2700K; 120V; Carded

Features

- · LED with a traditional incandescent look and feel

- LED with a traditional incandescent in
 Omni-directional light source
 Smooth dimming
 Replaces up to 40 watt lamps
 Long life 15,000 hours
 Damp Location
 UL listed for totally enclosed fixtures



S21732

Item Number	· UP	С	Voltage	Watts	Watts Incandescent Equivalent		Power Factor		Lamp Shape	Base	
S21732	0459232	217326	120	4.5	4.5 40W			0.90		CA10	Candelabra
ANSI Base	Lamp Code			Dimmab Dimm		Finish		L In hes	MOD In Inches	Initial Lumen	Average s Rated Hours
E12 4.5W CFF/LED/27K/FR/120V/2CD			120V/2CD	Dimm	able	e Frosted 3.7		7/8''	1-3/8"	350	15000
Kelvin Temp	Color	CRI	Beam Spread Deg	O	perating Te	emperature)	Pac	k Packa	age Type	ENERGY STAR
2700	Warm White	80	360	-20C	(-4F) to a +40C (maximum 104F)	of 12/2		2 C	D/2	ENERGY STAR
CEC Status RoHS Compliant Fixt			iant Fixtu	re Type UL or ETL Listed		UL Classification		Warranty			
Non-Compl	iant	nt Yes Enclose		Rated La	ated Lamp Yes		cULus - Damp Location Rated			3 Year Limited	



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051