

S39063

11.6WLED/DW/EL/5-6/40K/120V 11.6 watt LED Direct Wire Downlight; Edge-lit; 5-6 inch; 4000K; 120 volt; Dimmable



- Solid State LED lighting
 Long life
 Integrated j-box for direct wire installation
 Dimmable
 IC Rated



S39063

Iter Num		UI	PC	Voltage	Watts	Incandescent Equivalent	Fixture Typ	e Base		Lamp	Code	
S390	063	63 045923390630		0 120	11.6	65W		Direct Wire Direct Downlight Wired		11.6WLED/DW/EL/5 6/40K/120V		5-
Dimm	nable/N	Ion-Dimm	nable	Finish	MOL In Inches	MOD In Inches	Initial Lumens	Average R Hours		Kelvin Temp	Ca	olor
	Dim	mable		Frosted	1-15/16"	7-1/8"	780	4000	0	4000	Cool	White
CRI		Spread Deg	Ор	erating Tem _l	perature	Ceiling Aperture	Max Drywall Thickness	Pack	Package	e Type E	ENERGY	STAR
90		100	-20C (-4F) to a maximum of +45C (+113F)		6-7/16 in. cutout	3/4 in.	12/1 Box		x E	ENERGY	STAR	
	CEC	Status		RoHS C	ompliant	UL or ETL Liste	ed UL	Classification	on		Warranty	У
Lawful for sale in California		Yes		Yes	cETLus - [cETLus - Damp Location Rated		<u>5</u>	5 Year Limited			



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051