

## S9029

10BR30/LED/840/120V/6PK 10 watt; BR30 LED; 100' beam spread; 4000K; Medium base; 120 volts; Dimmable; 6-pack

## Features

- Solid State LED lighting
  Reflector replacement lamp
  Long life
  Dimmable



## S9029

Item N	umber	Product Line	UPC		Voltage	Watts	Incandescent Equivalent		Lamp Shape		Base	
S90	029	DiTTO	045923090	0295	120	10		65W		BR30		Medium
ANSI Base		Lamp Code		Dimmable/Non- Dimmable			gested Finish		MOL I			Initial Lumens
E26	10E	10BR30/LED/840/120V/6PK [		Dimi	mable	Compatible dimmers for S9029		Frosted	5-1/8	" 3-3	3/4''	700
	ige Rate Hours	<sup>ed</sup> Kelvin Ten	np Color	CRI I	Beam Spread Deg	d (	Operating	Temperati	ure	Pack	Pa	ckage Type
2	25000	4000	Cool White	80	100	-20C (-4F) to a maximum of +45C (+113F)		24/6		6pk		
RoHS Compliant UL or ETL Liste		Listed	UL Classification			Warranty						
Yes Yes				cULus - Damp Location Rated			3 Year Limited					



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051