

S9493

6.5MR16/LED/25'/40K/12V 6.5 watt; LED MR16 LED; 4000K; 25' beam spread; GU5.3 base; 12 volt AC/DC

Features

- Silver back MR16 reflector
- Direct replacement for 50watt Halogen lamps

80

White

UL or ETL Listed

Yes

25

- Approved for enclosed fixtures
 Dimmable

4000



S9493

California

Yes

Item Number		UP	C	Voltage		vvatts	Power F	actor	Lam	p Snape	Base		ANSI Base
S9493	(0459230	094934	12v AC/	12v AC/DC 6.5		0.96	;	MR16		GU5.	3	GU5.3
Lamp Code		Dimmab Dimm			uggested Dimmers	Finish	_	L In ches	MOD In Inches	Initia Lume		Average Rated Hours	
6.5MR16/LED/25'/40K/12V		Dimm	able		ompatible mmers for S9493	Silver Back	1 3	3/4''	2"	500)	25000	
Kelvin Temp	Color	CRI	Beam Sprea Deg	d Op	peratir	ng Tempera	ature	Pack		CEC Stat	us	Rol	HS Compliant
4000	Cool	80	25	-25C	(-13F) to a maxir	num of	12//2	La	awful for sa	ale in		Voc

+45C (+113F)

12/48

Warranty

5 Year Limited - 10 hour use per day



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051